

Identity - STEVENS POLISHING COMPOUND

SECTION I	
Manufacturers Name: Stevens Car Care Products, Inc.	Emergency Telephone Number: (440) 953-2900
Address: 36542 Vine St. Eastlake, Ohio 44095	Telephone Number for Information: (440) 953-2900
	Date Prepared: 3/20/00
	Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))					
		OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
ALUMINUM SILICATE	C.A.S. 66402-68-4	5MG/MG3	5MG/MG3	N/A	
ISOPARAFFINIC HYDROCARBON	C.A.S. 64742-47-8	N/A	N/A	N/A	
ALIPHATIC HYDROCARBON	C.A.S. 64742-88-7	100 PPM	100 PPM	N/A	
FATTY ALKANOLAMIDE	C.A.S. 68155-20-4	N/A	N/A	N/A	

The precise composition of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency.

SECTION III - Physical/Chemical Characteristics

Boiling Point	360 F	Specific Gravity	0.87
Vapor Pressure (mm Hg.)	1.1	Melting Point	N/A
Vapor Density (AIR=1)	1.3	Evaporation Rate (Butyl Acetate = 1)	1.6
Solubility in Water	N/A		
Appearance and Odor	WHITE LIQUID WITH CHARACTERISTIC ODOR		

SECTION IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 195 F (TCC)	Flammable Liquids	LEL 0.6	UEL 7.6
--	-------------------	------------	------------

Extinguishing Media CARBON DIOXIDE, FOAM, DRY CHEMICAL
Special Fire Fighting Procedures WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.
Unusual Fire and Explosion Hazards KEEP WORK AREAS FREE OF HOT METAL SURFACES AND OTHER SOURCES OF IGNITION.

Page 2

SECTION V - Reactivity Data		
Stability	<input type="checkbox"/> Unstable	Conditions to Avoid
	<input checked="" type="checkbox"/> Stable	OPEN FLAME AND FIRE OXIDIZING AGENTS.
Incompatibility (Material to Avoid) STRONG OXIDIZING AGENTS.		
Hazardous Decomposition or Byproducts N/A		
Hazardous Polymerization	<input type="checkbox"/> May Occur	Conditions to Avoid
	<input checked="" type="checkbox"/> Will Not Occur	N/A

SECTION VI - Health Hazard Data			
Route(s) of Entry	<input checked="" type="checkbox"/> Inhalation	<input type="checkbox"/> Skin	<input checked="" type="checkbox"/> Ingestion
Health Hazards (Acute and Chronic) MAY CAUSE SKIN IRRITATION TO SENSITIVE INDIVIDUALS. MAY CAUSE EYE IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION.			
Carcinogenicity	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure MAY CAUSE SLIGHT DERMATITIS TO SENSITIVE INDIVIDUALS.			
Medical Conditions Generally Aggravated by Exposure DERMATITIS			
Emergency and First Aid Procedures			
Eyes:	FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.		
Skin:	WASH WITH SOAP AND WATER.		
Inhalation:	REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.		
Ingestion:	DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.		

SECTION VII - Precautions for Safe Handling and Use	
Steps to be Taken in Case Material is Released or Spilled ELIMINATE ALL SOURCES OF IGNITION. ABSORB WITH INERT MATERIAL AND PLACE INTO PROPER CONTAINERS FOR DISPOSAL.	
Waste Disposal Method DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS.	

Precautions to be Taken in Handling and Storing
AVOID CONTACT WITH EYES AND SKIN.

SECTION VIII - Control Measures

Respiratory Protection (Specify Type)
IN HIGH CONCENTRATIONS, USE NIOSH APPROVED RESPIRATOR.

Ventilation	Local Exhaust - YES	Special -
	Mechanical (General) -	Other -

Protective Gloves SOLVENT-RESISTANT GLOVES	Eye Protection CHEMICAL SAFETY GOGGLES
---	---

Other Protective Clothing or Equipment
AS NEEDED TO PREVENT WETTING OF CLOTHES.

Work/Hygenic Practices
DO NOT EAT OR DRINK IN WORK AREA. WASH HANDS BEFORE EATING OR DRINKING.