

Identity - Tripoly Glaze KA

SECTION I	
Manufacturers Name: Stevens Car Care Products, Inc.	Emergency Telephone Number: 800-255-3924
Address: 36542 Vine St. Eastlake, Ohio 44095	Telephone Number for Information: (440) 953-2900
	Date Prepared: 6/18/09
	Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))					
		OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
ALPHATIC HYDROCARBON	CAS. NO.	8052-41-3	100 PPM	COMBUSTIBLE	
KEROSENE	CAS. NO.	8008-20-6	100 PPM	COMBUSTIBLE	
DIMETHYLPOLYSILOXANE	CAS. NO.	63148-82-9	N/A		
WATER	CAS. NO.	7732-18-5	N/A		
CALCINED KAOLIN	CAS. NO.	66402-28-1	10 MG/M3	IRRITANT	
CARNAUBA WAX	CAS. NO.	N/A		NONE	

The precise composition of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency.

SECTION III - Physical/Chemical Characteristics

Boiling Point	212 F	Specific Gravity	< 1
Vapor Pressure (mm Hg.)	N/A	Melting Point	
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A		
Appearance and Odor	TAN LIQUID		

SECTION IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 200 F TOC	Flammable Liquids	LEL N/A	UEL N/A
Extinguishing Media Water, Fog, CO2 & Dry Chemicals			
Special Fire Fighting Procedures Wear full protective clothing, including helmet, self contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.			
Unusual Fire and Explosion Hazards This product is combustible at high temps. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition.			

Page 2

SECTION V - Reactivity Data			
Stability	<input type="checkbox"/> Unstable		Conditions to Avoid
	<input checked="" type="checkbox"/> Stable		N/A
Incompatibility (Material to Avoid) STRONG OXIDIZERS, STRONG ACIDS			
Hazardous Decomposition or Byproducts OXIDES OR CARBON AND OTHER HAZARDOUS CHEMICALS.			
Hazardous Polymerization	<input type="checkbox"/> May Occur		Conditions to Avoid
	<input checked="" type="checkbox"/> Will Not Occur		N/A
SECTION VI - Health Hazard Data			
Route(s) of Entry	<input checked="" type="checkbox"/> Inhalation	<input type="checkbox"/> Skin	<input type="checkbox"/> Ingestion
Health Hazards (Acute and Chronic) N/A			
Carcinogenicity	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure May cause redness, tearing or blurring of vision. May cause skin irritation. May be irritating to the respiratory system. May cause irritation of the mucous membranes.			
Medical Conditions Generally Aggravated by Exposure			
Emergency and First Aid Procedures			
Eyes:	WASH WITH WATER FOR 15 MINUTES, LIFTING UPPER AND LOWER LIDS OCCASIONALLY. CALL A PHYSICIAN.		
Skin:	WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL PHYSICIAN.		
Inhalation:	MOVE TO FRESH AIR.		
Ingestion:	DRINK TWO GLASSES OF WATER. DO NOT INDUCE VOMITING. CALL A PHYSICIAN.		
SECTION VII - Precautions for Safe Handling and Use			
Steps to be Taken in Case Material is Released or Spilled REMOVE SOURCES OF IGNITION. BLOCK ANY POTENTIAL ROUTES TO WATER SYSTEM.			

Waste Disposal Method
ABSORB SPILL WITH INERT MATERIAL. SHOVEL MATERIAL INTO APPROPRIATE CONTAINER FOR DISPOSAL.

Precautions to be Taken in Handling and Storing

SECTION VIII - Control Measures

Respiratory Protection (Specify Type)
N/A

Ventilation	Local Exhaust -	Special -
	Mechanical (General) -	Other -

Protective Gloves IMPERVIOUS GLOVES	Eye Protection CHEMICAL SAFETY GOGGLES
--	---

Other Protective Clothing or Equipment

Work/Hygenic Practices