Page 1

Identity - UPHOLSTERY PRE-SPOTTING DETERGENT

Manufacturers Name: Stevens Car Care Products, Inc. Emergency Telephone Number: 800-255-3924 Address: Telephone Number for Information: (440) 953-2900 36542 Vine St. Date Prepared: Signature of Preparer (optional) SECTION II - HAZARDOUS INCEEDENTENTIV Information: Mazardous Components (Specific Chemical Ventry Information: Ventry Entry Entry Information: Section Ventry Entry Entry Information: Section Ventry Entry Entry Entry Information: Ventry Entry Entry Entry Entry Entry Entry Information: Signature of Preparer (optional) Section Ventry Entry Enty Entry Entry Entry Entry Entry Entry Entry Entry Ent	SECTION I								
Address: Telephone Number for Information: Address: (440) 953-2900 36542 Vine St. Date Prepared: Eastlake, Ohio 44095 3/24/00 Signature of Preparer (optional) SECTION II - HAZARDOUS INGREDIENTS/Identity Information Hazardous Components (Specific Chemical Identity: Common Name(s) # PEL TLV Recommended (Optional) DIPROPYLENE GLYCOL C.A.S 34590- 100 PPM 150 PPM # ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM 400 PPM # # ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM # # # # The precise composition of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. # # # Section III - Physical/Chemical Characteristics #	Manufacturers Name:			Emergency Telephone Number:					
Address: (440) 953-2900 36542 Vine St. Date Prepared: Eastlake, Ohio 44095 3/24/00 Signature of Preparer (optional) Signature of Preparer (optional) SECTION II - HAZARDOUS INGREDIENTS/Identity Information Hazardous Components (Specific Chemical Identity; Common Name(s) Image: Common Name(s) METHYL ETHER OSHA ACGIH Other Limits % METHYL ETHER 04.8 100 PPM 150 PPM Image: Common Name(s) Image: Common Name(s) ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM 400 PPM Image: Common Name(s) Image: Common Name(s) ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM 400 PPM Image: Common Name(s) Image: Common Name(s) ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM 400 PPM Image: Common Name(s) Image: Common Name(s) ISOPROPYL ALCOHOL C.A.S. 67-63- Image: Common Name(s) Image: Common Name(s) Image: Common Name(s) Image: Common Name(s) ISOPROPYL ALCOHOL C.A.S. 67-63- Image: Common Name(s)									
36542 Vine St. Date Prepared: Eastlake, Ohio 44095 3/22/00 Signature of Preparer (optional) SECTION II - HAZARDOUS INGREDIENTS/Identity Information Hazardous Components (Specific Chemical Identity; Common Name(s) 0 PEL TLV Recommended (Optional) DIPROPYLENE GLYCOL C.A.S. 34590- 94-8 100 PPM 150 PPM			-		for Information:				
Eastlake, Ohio 44095 3/24/00 Signature of Preparer (optional) SECTION II - HAZARDOUS INGREDIENTS/Identity Information Hazardous Components (Specific Chemical Identity; Common Name(s) OSHA ACGIH Other Limits % (Optional) DIPROPYLENE GLYCOL C.A.S 34590- PEL IO0 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL C.A.S. 67-63- ISOPROPYL ALCOHOL 	Address:			(440) 953-2900					
Signature of Preparer (optional) Signature of Preparer (optional) SECTION II - HAZARDOUS INGREDIENTS/Identity Information Hazardous Components (Specific Chemical Identity; Common Name(s) Memory (Optional) DIPROPYLENE GLYCOL METHYL ETHER C.A.S 34590- 94-8 100 PPM 150 PPM (Optional) SOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 400 PPM SOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 400 PPM Image: Source of the second secon				Date Prepared:					
SECTION II - HAZARDOUS INGREDIENTS/Identity Information Hazardous Components (Specific Chemical Identity: Common Name(s) OSHA ACGIH Other Limits % DIPROPYLENE GLYCOL C.A.S 34590- 94-8 100 PPM 150 PPM (Optional) DIPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM Image: Common Com	Eastlake, Ohio 44095								
Hazardous Components (Specific Chemical Identity; Cormon Name(s) OSHA ACGIH Other Limits % DIPROPYLENE GLYCOL C.A.S 34590- 94-8 100 PPM 150 PPM (Optional) ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 60 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 60 60 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 60 60 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 60 60 60 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 60 <td></td> <td>Signat</td> <td colspan="5">Signature of Preparer (optional)</td>		Signat	Signature of Preparer (optional)						
OSHA PEL ACGIH TLV Other Limits Recommended % (Optional) DIPROPYLENE GLYCOL METHYL ETHER C.A.S. 34590- 94-8 100 PPM 150 PPM 150 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 0 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 0 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 0 0 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 0 0 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 0 0 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 0 0 ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM 0 ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL ALCOHOL ISOPROPYL ALCOHOL ISOPROPYL ALCOH	SECTION II - HAZARDOUS ING	REDIENTS/I	dentity Inf	formation					
PEL TLV Recommended (Optional) DIPROPYLENE GLYCOL METHYL ETHER C.A.S. 34590- 94-8 100 PPM 150 PPM	Hazardous Components (Specified	c Chemical Id	entity; Coi	mmon Narr	ne(s)				
DIPROPYLENE GLYCOL METHYL ETHER C.A.S. 34590- 94-8 100 PPM 150 PPM 150 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL 212 F Specific Gravity 0.99 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor IEL IEL CLEAR LIQUID WITH A STRONG ALCOH			OSHA	ACGIH	Other Limits	%			
METHYL ETHER 94-8 100 PPM 150 PPM 150 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL C.A.S. 67-63- 0 400 PPM 400 PPM 400 PPM ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ALCOHOL ISOPROPYL ALCOHOL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ALCOHOL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ALCOHOL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ALCOHOL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ALCOHOL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYL ISOPROPYLICAL CHOLOCIC ISOPROPYLICAL CHOLOCIC ISOPROPYLICAL CHOLOCIC ISOPROPYLICAL CHOLOCIC SECTION IV - Fire and Explosion Hazard Data ISOPROPYLICAL CHOLOCIC ISOPROPYLICAL CHOLOCIC ISOPROPYLICAL CHOLOCIC SECTION IV - Fire and Explosion Hazard Data Isopropylical Character Isopropylical Character ISOPROPYLICAL CHOLOCIC SECTION IV - Fire and Explosion Hazard Data Isopropylical Character Isopropylical Character Isopropylical Character Section IV - Fire and Explosion Hazard Data			PEL	TLV	Recommended	(Optional)			
Image: Section of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. Image: Section of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Image: Section of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Image: Section of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Image: Section of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Image: Section of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. Section III - Physical/Chemical Characteristics Image: Section of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. Solubility in Water 212 F Specific Gravity 0.99 COMPLETE Appearance and Odor Image: Section Hazard Data Image: Section Hazard Data Flash Point (Method Used) Flammable Liquids Image		94-8							
Image: Section of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency. Section III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Solubility in Water N/A COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR Section IV - Fire and Explosion Hazard Data Flash Point (Method Used) NONE Flash Point (Method Used) NONE Flash Media	ISOPROPYL ALCOHOL	C.A.S. 67-63- 0	400 PPM	400 PPM					
physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A NONE Flammable Liquids LEL UEL									
physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A NONE Flammable Liquids LEL UEL									
physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A NONE Flammable Liquids LEL UEL									
physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A NONE Flammable Liquids LEL UEL									
physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A NONE Flammable Liquids LEL UEL									
physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A NONE Flammable Liquids LEL UEL									
physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A NONE Flammable Liquids LEL UEL									
physician or nurse in the event of a medical emergency. SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A NONE Flammable Liquids LEL UEL	The precise composition of this mixt	ure is propriet	arv informa	ation. A con	nplete disclosure will be r	provided to a			
SECTION III - Physical/Chemical Characteristics Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE >1 Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR Section IV - Fire and Explosion Hazard Data Flash Point (Method Used) ILEL UEL NONE Flammable Liquids I/A N/A									
Boiling Point 212 F Specific Gravity 0.99 Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL N/A N/A NONE Flammable Liquids N/A N/A		<u>_</u>							
Vapor Pressure (mm Hg.) >30 Melting Point N/A Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE >1 Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flammable Liquids LEL UEL NONE Flammable Liquids N/A N/A				ravitv		0.99			
Vapor Density (AIR=1) N/A Evaporation Rate (Butyl Acetate = 1) >1 Solubility in Water COMPLETE >1 Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) Flammable Liquids LEL UEL NONE Flammable Liquids LEL N/A N/A				•					
Solubility in Water COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) NONE NONE Extinguishing Media					utvl Acetate = 1)				
COMPLETE Appearance and Odor CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) NONE NONE Extinguishing Media					,	I			
CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) NONE Extinguishing Media									
CLEAR LIQUID WITH A STRONG ALCOHOL ODOR SECTION IV - Fire and Explosion Hazard Data Flash Point (Method Used) NONE Extinguishing Media									
Flash Point (Method Used) Flammable Liquids LEL UEL NONE N/A N/A Extinguishing Media Image: Constraint of the second		G ALCOHOL	ODOR						
Flash Point (Method Used) Flammable Liquids LEL UEL NONE N/A N/A Extinguishing Media Image: Constraint of the second	SECTION IV - Fire and Explosion	on Hazard Da	ita						
NONE Flammable Liquids N/A N/A Extinguishing Media Image: State of the state					., L	.EL UEL			
Extinguishing Media	· · · · · · · · · · · · · · · · · · ·		Flan	nmable Liq					
	Extinguishing Media								
	NONE REQUIRED								

Page 2

SECTION V - Reactiv	vity Data					
Stability		[] Unstable	Conditions to Avoid			
		[X] Stable	NONE			
Incompatability (Mater NONE	rial to Avoid)					
Hazardous Decompos NONE	sition or Byproducts					
Hazardous Polymerization		[] May Occur	Conditions to Avoid			
		[X] Will Not Occur NONE				
SECTION VI - Health	Hazard Data					
Route(s) of Entry	[X] Inhalation	[X] Skin	[X] Ingestion			
Health Hazards (Acute NONE	e and Chronic)					
Carcinogenicity	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO			
Signs and Symptoms HIGH CONCENTRATI IRRITANT. INGESTIC	IONS OF VAPORS C	AN CAUSE NARCOSIS. SE E DIARRHEA.	EVERE EYE & MILD SKIN			
Medical Conditions Generations Generations	enerally Aggravated	by Exposure				
Emergency and First	Aid Procedures					
Eyes:		FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.				
Skin:		WASH WITH SOAP AND WATER.				
Inhalation:		REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.				
Ingestion:		DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.				
SECTION VII - Preca	utions for Safe Har	Idling and Use				
Steps to be Taken in (ELIMINATE ALL SOU PROPER CONTAINER	IRCES OF IGNITION	•	IATERIAL AND PLACE INTO			
Waste Disposal Metho DISPOSE OF IN ACCO		CAL REGULATIONS.				
Precautions to be Tak AVOID CONTACT WI						

SECTION VIII - Control Measures								
Respiratory Protection (Specify Type)								
IN HIGH CONCENTRATIONS, USE NIOSH APPROVED RESPIRATOR.								
Ventilation	Local Exhuast - YES		Special -					
ventilation	Mechanical (General) -		Other -					
Protective Gloves		Eye Protection	on					
SOLVENT-RESISTANT GLOVES		CHEMICAL	SAFETY GOGGLES					
Other Protective Clothing or Equipment								
AS NEEDED TO PREVENT WETTING OF CLOTHES.								
Work/Hygenic Practices								
DO NOT EAT OR DRINK IN WORK AREA. WASH HANDS BEFORE EATING OR DRINKING.								