

Identity - GLOSS BOSS TIRE DRESSING

SECTION I	
Manufacturers Name: Stevens Car Care Products, Inc.	Emergency Telephone Number: 800-255-3924
Address: 36542 Vine St. Eastlake, Ohio 44095	Telephone Number for Information: (440) 953-2900
	Date Prepared: 3/24/00
	Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))					
		OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
PETROLEUM SOLVENT	C.A.S. 64742- 48-9	300 PPM	300 PPM		

The precise composition of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency.

SECTION III - Physical/Chemical Characteristics

Boiling Point	250 F	Specific Gravity	0.876
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water NONE			
Appearance and Odor CLEAR LIQUID WITH A CHARACTERISTIC PETROLEUM ODOR			

SECTION IV - Fire and Explosion Hazard Data

Flash Point (Method Used) 108 F	Flammable Liquids	LEL 1	UEL 6
Extinguishing Media CARBON DIOXIDE, FOAM, DRY CHEMICAL			
Special Fire Fighting Procedures WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.			

Unusual Fire and Explosion Hazards
NONE

Page 2

SECTION V - Reactivity Data

Stability	<input type="checkbox"/> Unstable	Conditions to Avoid
	<input checked="" type="checkbox"/> Stable	
Incompatibility (Material to Avoid) STRONG OXIDIZING AGENTS, ACIDS, BASES, AND SELECTED AMINES.		
Hazardous Decomposition or Byproducts CARBON MONOXIDE AND/OR CARBON DIOXIDE		
Hazardous Polymerization	<input type="checkbox"/> May Occur	Conditions to Avoid
	<input checked="" type="checkbox"/> Will Not Occur	NONE

SECTION VI - Health Hazard Data

Route(s) of Entry	<input checked="" type="checkbox"/> Inhalation	<input checked="" type="checkbox"/> Skin	<input checked="" type="checkbox"/> Ingestion
Health Hazards (Acute and Chronic) VARIES AMONG INDIVIDUALS.			
Carcinogenicity	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO
Signs and Symptoms of Exposure NONE			
Medical Conditions Generally Aggravated by Exposure NONE KNOWN			
Emergency and First Aid Procedures			
Eyes:	FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.		
Skin:	WASH WITH SOAP AND WATER.		
Inhalation:	REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.		
Ingestion:	DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.		

SECTION VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled ELIMINATE ALL SOURCES OF IGNITION. ABSORB WITH INERT MATERIAL AND PLACE INTO PROPER CONTAINERS FOR DISPOSAL.	
Waste Disposal Method DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS.	
Precautions to be Taken in Handling and Storing AVOID CONTACT WITH EYES AND SKIN.	

SECTION VIII - Control Measures

Respiratory Protection (Specify Type) IN HIGH CONCENTRATIONS, USE NIOSH APPROVED RESPIRATOR.

Ventilation	Local Exhaust - YES	Special -
	Mechanical (General) -	Other -
Protective Gloves SOLVENT-RESISTANT GLOVES	Eye Protection CHEMICAL SAFETY GOGGLES	
Other Protective Clothing or Equipment AS NEEDED TO PREVENT WETTING OF CLOTHES.		
Work/Hygenic Practices DO NOT EAT OR DRINK IN WORK AREA. WASH HANDS BEFORE EATING OR DRINKING.		