Identity - STEVENS POLISHING COMPOUND

SECTION I							
Manufacturers Name:			Emergency Telephone Number:				
Stevens Car Care Products, Inc			800-255-3924				
		-	•	for Information:			
Address:			(440) 953-2900				
36542 Vine St.			Date Prepared:				
Eastlake, Ohio 44095			3/20/00				
			Signature of Preparer (optional)				
SECTION II - HAZARDOUS							
Hazardous Components (Sp	pecific Chemica	al Identity; C	Common Nam	ne(s)			
			ACGIH TL\	Other Limits Recommended	% (Option		
ALUMINUM SILICATE	C.A.S. 66402- 68-4	5MG/MG3	5MG/MG3	N/A			
ISOPARAFFINIC HYDROCARBON	47-8	N/A	N/A	N/A			
ALIPHATIC HYDROCARBON	C.A.S. 64742- 88-7		100 PPM	N/A			
FATTY ALKANOLAMIDE	C.A.S. 68155- 20-4	N/A	N/A	N/A			
The precise composition of this physician or nurse in the event			mation. A cor	mplete disclosure will	be provided to a		
SECTION III - Physical/Che	emical Charac	teristics					
Boiling Point	360 F	Specific	Gravity		0.8		
Vapor Pressure (mm Hg.)	1.1	Melting Point N/A					
Vapor Density (AIR=1)	1.3	Evaporation Rate (Butyl Acetate = 1) 1.6					
Solubility in Water N/A							
Appearance and Odor WHITE LIQUID WITH CHAI	RACTERISTIC (ODOR					
SECTION IV - Fire and Exp	losion Hazard	l Data					
Flash Point (Method Used) 195 F (TCC)			Flammable Liquids LEL UEL 0.6 7.6				

Extinguishing Media	
CARBON DIOXIDE, FOAM, DRY CHEMICAL	
Special Fire Fighting Procedures	
WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.	
Unusual Fire and Explosion Hazards	
KEEP WORK AREAS FREE OF HOT METAL SURFACES AND OTHER SOURCES OF IGNITION.	

Page 2

SECTION V - Reactivity D	ata							
Stability	[] Unstable	;	Conditions to Avoid					
	[X] Stable		OPEN FLAME AND FIRE OXIDIZING AGENTS.					
Incompatability (Material to								
STRONG OXIDIZING AGE	NTS.							
Hazardous Decomposition N/A	or Byproducts	i e						
Hazardous Polymerization	[] May Occ	cur	Conditions to Avoid					
	[X] Will No	ot Occur	N/A					
SECTION VI - Health Haza	ard Data							
Route(s) of Entry [X] Inhalation	[] Ski	in	[X] Ingestion				
Health Hazards (Acute and MAY CAUSE SKIN IRRITA CAUSE RESPIRATORY TR	TION TO SEN		NDIVIDUALS. MAY CAUS	SE EYE IRRITATION. MAY				
(arcinodenicity	Carcinogenicity NTP?		Monographs?	OSHA Regulated? N/A				
Signs and Symptoms of Ex MAY CAUSE SLIGHT DER		SENSITIV	'E INDIVIDUALS.					
Medical Conditions General DERMATITIS	ılly Aggravated	by Expo	osure					
Emergency and First Aid P	rocedures							
Eyes:			FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.					
Skin:		WASI	WASH WITH SOAP AND WATER.					
Inhalation:			REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.					
Ingestion:			DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.					
SECTION VII - Precaution	s for Safe Ha	ndling a	nd Use					
Steps to be Taken in Case Material is Released or Spilled								
ELIMINATE ALL SOURCES OF IGNITION. ABSORB WITH INERT MATERIAL AND PLACE INTO								
PROPER CONTAINERS FO	R DISPOSAL.							
Waste Disposal Method			CT. 1					
DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS.								

Precautions to be Taken in Handling and Storing AVOID CONTACT WITH EYES AND SKIN. **SECTION VIII - Control Measures** Respiratory Protection (Specify Type) IN HIGH CONCENTRATIONS, USE NIOSH APPROVED RESPIRATOR. Local Exhuast - YES Special -Ventilation Mechanical (General) -Other -Eye Protection Protective Gloves SOLVENT-RESISTANT GLOVES CHEMICAL SAFETY GOGGLES Other Protective Clothing or Equipment AS NEEDED TO PREVENT WETTING OF CLOTHES. Work/Hygenic Practices

DO NOT EAT OR DRINK IN WORK AREA. WASH HANDS BEFORE EATING OR DRINKING.