

Identity - WIRE & CHROME WHEEL CLEANER

<b>SECTION I</b>	
Manufacturers Name: Stevens Car Care Products, Inc.	Emergency Telephone Number: 800-255-3924
Address: 36542 Vine St. Eastlake, Ohio 44095	Telephone Number for Information: (440) 953-2900
	Date Prepared: 3/23/00
	Signature of Preparer (optional)

**SECTION II - HAZARDOUS INGREDIENTS/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Name(s))					
		OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
PHOSPHORIC ACID	C.A.S. 7664-38-2	1MG/MG3	3MG/MG3		
2-BUTOXYETHANOL	C.A.S. 111-76-2	25 PPM	25 PPM		
HYDROGEN FLOURIDE SOLUTION	C.A.S. 7664-39-3	3 PPM	5MG/MG3		

The precise composition of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency.

**SECTION III - Physical/Chemical Characteristics**

Boiling Point	212 F	Specific Gravity	1.2
Vapor Pressure (mm Hg.)	N/A	Melting Point	32 F
Vapor Density (AIR=1)	N/A	Evaporation Rate (Butyl Acetate = 1)	0.5
Solubility in Water COMPLETE			
Appearance and Odor CLEAR LIQUID WITH FAINT PUNGENT ODOR			

**SECTION IV - Fire and Explosion Hazard Data**

Flash Point (Method Used) NONE	Flammable Liquids	LEL N/A	UEL N/A
Extinguishing Media CARBON DIOXIDE, FOAM, DRY CHEMICAL			

**Special Fire Fighting Procedures**

WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

**Unusual Fire and Explosion Hazards**

HYDROGEN GAS CAN BE LIBERATED WITH CONTACT WITH METALS. OXIDES CAN BE LIBERATED IN FLAMES. ACID FUMES SHOULD NOT BE BREATHED.

**Page 2****SECTION V - Reactivity Data**

Stability	<input type="checkbox"/> Unstable	Conditions to Avoid
	<input checked="" type="checkbox"/> Stable	NONE
Incompatibility (Material to Avoid) METALS, GLASS, OR ALKALINE MATERIALS		
Hazardous Decomposition or Byproducts HYDROFLUORIC ACID VAPORS		
Hazardous Polymerization	<input type="checkbox"/> May Occur	Conditions to Avoid
	<input checked="" type="checkbox"/> Will Not Occur	NONE

**SECTION VI - Health Hazard Data**

Route(s) of Entry	<input checked="" type="checkbox"/> Inhalation	<input checked="" type="checkbox"/> Skin	<input type="checkbox"/> Ingestion
Health Hazards (Acute and Chronic) POTENTIAL RISKS MAY VARY FROM PERSON TO PERSON. INHALATION MAY CAUSE BURNS TO RESPIRATORY TRACT. INGESTION WILL BURN TISSUE AND MAY BE FATAL.			
Carcinogenicity	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO
Signs and Symptoms of Exposure CAN CAUSE SEVERE & PAINFUL BURNS TO SKIN AND EYES. VERY DANGEROUS TO EYES. BURNS TO RESPIRATORY TRACT OR TISSUES.			
Medical Conditions Generally Aggravated by Exposure NONE			
Emergency and First Aid Procedures			
Eyes:	FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.		
Skin:	WASH WITH SOAP AND WATER.		
Inhalation:	REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.		
Ingestion:	DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.		

**SECTION VII - Precautions for Safe Handling and Use**

Steps to be Taken in Case Material is Released or Spilled NEUTRALIZE TO ACCEPTABLE PH, FLUSH AREA WELL, MAINTAIN GOOD VENTILATION.	
Waste Disposal Method DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS.	

Precautions to be Taken in Handling and Storing  
AVOID CONTACT WITH EYES AND SKIN.

**SECTION VIII - Control Measures**

Respiratory Protection (Specify Type)  
IN HIGH CONCENTRATIONS, USE NIOSH APPROVED RESPIRATOR.

Ventilation	Local Exhaust -	Special -
	Mechanical (General) - YES	Other -

Protective Gloves SOLVENT-RESISTANT GLOVES	Eye Protection CHEMICAL SAFETY GOGGLES
---	---

Other Protective Clothing or Equipment  
AS NEEDED TO PREVENT WETTING OF CLOTHES.

Work/Hygenic Practices  
DO NOT EAT OR DRINK IN WORK AREA. WASH HANDS BEFORE EATING OR DRINKING.