

Identity - STEVENS WHITE WALL TIRE CLEANER

SECTION I	
Manufacturers Name: Stevens Car Care Products, Inc.	Emergency Telephone Number: 800-255-3924
Address: 36542 Vine St. Eastlake, Ohio 44095	Telephone Number for Information: (440) 953-2900
	Date Prepared: 3/20/00
	Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))					
		OSHA PEL	ACGIH TLV	Other Limits Recommended	% (Optional)
ISOPROPYL ALCOHOL	C.A.S. 67-63-0	400 PPM	400 PPM	500 PPM	
DIPROPYLENE GLYCOL METHYL ETHER	C.A.S. 34590-94-8	100 PPM	150 PPM	150 PPM	
POTASSIUM HYDROXIDE	C.A.S. 1310-58-3	N/A	2 MG/MTR	N/A	
DISODIUM TRIOXOSILICATE	C.A.S. 6894-92-0	N/A	N/A	N/A	

The precise composition of this mixture is proprietary information. A complete disclosure will be provided to a physician or nurse in the event of a medical emergency.

SECTION III - Physical/Chemical Characteristics

Boiling Point	212 F	Specific Gravity	0.994
Vapor Pressure (mm Hg.)	12.5	Melting Point	N/A
Vapor Density (AIR=1)	1	Evaporation Rate (Butyl Acetate = 1)	>1
Solubility in Water COMPLETE			
Appearance and Odor BLUE COLOR WITH A MILD ODOR			

SECTION IV - Fire and Explosion Hazard Data

Flash Point (Method Used) NONE	Flammable Liquids	LEL N/A	UEL N/A
-----------------------------------	-------------------	------------	------------

Extinguishing Media NONE
Special Fire Fighting Procedures NONE
Unusual Fire and Explosion Hazards NONE

Page 2

SECTION V - Reactivity Data

Stability	<input type="checkbox"/> Unstable	Conditions to Avoid
	<input checked="" type="checkbox"/> Stable	N/A
Incompatibility (Material to Avoid) NONE		
Hazardous Decomposition or Byproducts NONE		
Hazardous Polymerization	<input type="checkbox"/> May Occur	Conditions to Avoid
	<input checked="" type="checkbox"/> Will Not Occur	NONE

SECTION VI - Health Hazard Data

Route(s) of Entry	<input checked="" type="checkbox"/> Inhalation	<input checked="" type="checkbox"/> Skin	<input type="checkbox"/> Ingestion
Health Hazards (Acute and Chronic) EYE IRRITANT. MAY PRODUCE LETHARGY (STUPOR) NARCOSIS IN HIGH CONCENTRATIONS (UNCONSCIOUS STATE DUE TO NARCOTICS), LUNG, BLOOD, LIVER, AND KIDNEY DAMAGE.			
Carcinogenicity	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO
Signs and Symptoms of Exposure NONE			
Medical Conditions Generally Aggravated by Exposure NONE			
Emergency and First Aid Procedures			
Eyes:	FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.		
Skin:	WASH WITH SOAP AND WATER.		
Inhalation:	REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, GET MEDICAL ATTENTION.		
Ingestion:	DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.		

SECTION VII - Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled ELIMINATE ALL SOURCES OF IGNITION. ABSORB WITH INERT MATERIAL AND PLACE INTO PROPER CONTAINERS FOR DISPOSAL.

Waste Disposal Method DISPOSE OF IN ACCORDANCE WITH LOCAL REGULATIONS.		
Precautions to be Taken in Handling and Storing AVOID CONTACT WITH EYES AND SKIN.		
SECTION VIII - Control Measures		
Respiratory Protection (Specify Type) IN HIGH CONCENTRATIONS, USE NIOSH APPROVED RESPIRATOR.		
Ventilation	Local Exhuast -	Special -
	Mechanical (General) -	Other -
Protective Gloves SOLVENT-RESISTANT GLOVES	Eye Protection CHEMICAL SAFETY GOGGLES	
Other Protective Clothing or Equipment AS NEEDED TO PREVENT WETTING OF CLOTHES.		
Work/Hygenic Practices DO NOT EAT OR DRINK IN WORK AREA. WASH HANDS BEFORE EATING OR DRINKING.		